

Appendix A: Prohibited materials, equipment and processes

Prohibited Materials

- Any chemicals with a NFPA Fire Rating of 3 or higher (meaning the material has a flash point of 100°F or lower)
- Acetone
- Acids
- Aromatic epoxies
- Aromatic epoxy paints
- Asbestos laden stone (such as some alabasters and soapstone: check with stone supply vendor for stone content)
- Benzene
- Bondo and similar fillers
- Candles
- Contact cement (except water-based)
- Fiberglass
- Incense
- Kerosene
- Mineral Spirits (odorless is ok)
- Petroleum / Gasoline
- Toluene
- Turpentine
- Xylene

For materials not listed above, please check it on the Material Safety Data Sheet

(just google: [name of material] MSDS). If it has a Fire Rating (red diamond) of 3 or higher, a Health Rating (blue) of 2 or more, or a Reactivity Rating (yellow) of 2 or more, it is not allowed in the studios.

Prohibited Equipment and Furnishings

- Couches, Futons, or any other upholstered furniture
- Hotplates or hotpots
- Incandescent, Halogen, Neolite or Purelite lights or other high temperature light bulbs
- Kilns
- Microwaves
- Propane or butane torches
- Pneumatic tools
- Refrigerators
- Rugs or carpets

Prohibited Processes

- Brazing
- Burning
- Dry carving/rasping/sanding which creates excessive amounts of airborne silt (with such materials as plaster, plastics, wood, stone, etc.)
- Encaustic
- Spraypainting or Airbrushing within the studio building
- Welding
- and any process which creates hazardous or noxious fumes.

This list of prohibited materials, equipment and processes may be amended at any time. Amendments will be emailed to each artist, and a new list will be posted in the common areas of the studios.

If we discover something on the prohibited list in your studio, we may issue a warning or terminate your residency.

If you discover that a newly prohibited material, equipment or process is something that you were using to make your art, contact ChaShaMa immediately.

Appendix B: Hazardous Pigments

No materials that are hazardous to the respiratory system are allowed in the studios.

Pigments marked with an * are teratogenic or fetotoxic in humans and/or lab animals.

Aureolin/Cobalt Yellow

Burnt Umber

*Cadmium Reds, Yellows, and Orange

*Cadmium-Barium Reds, Yellows, and Orange

*Cadmium-Vermilion Red

Cerulean Blue

*Chrome Yellow

Chromium Oxide Green

Cobalt Blue, Green, Violet, and Yellow

*Diarylide Yellow

*Flake White

Graphite

Hansa Yellows

Lamp Black

Lithol Red

Mars Brown

Manganese Blue

Manganese Violet

*Naples Yellow

*Phthalocyanine Blue

*Phthalocyanine Green

Raw Umber

Toluidine Red

Vermilion

Viridian